

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 02/01/2016
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 155280		(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED R-C 01/26/2016	
NAME OF PROVIDER OR SUPPLIER WATERS OF DILLSBORO-ROSS MANOR, THE				STREET ADDRESS, CITY, STATE, ZIP CODE 12803 LENOVER ST DILLSBORO, IN 47018			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
{F 000}	<p>INITIAL COMMENTS</p> <p>This visit was for a Post Survey Revisit (PSR) to the Investigation of Complaint IN00187979 completed on December 17, 2015.</p> <p>This visit was in conjunction with a Post Survey Revisit (PSR) to the PSR completed on December 17, 2015 to the Investigation of Complaint IN00184636 completed on November 06, 2015.</p> <p>Complaint IN00187979 - Corrected</p> <p>Survey date: January 26, 2016</p> <p>Facility number: 000178 Provider number: 155280 AIM number: 100273840</p> <p>Census bed type: SNF/NF: 88 Total: 88</p> <p>Census payor type: Medicare: 13 Medicaid: 64 Other: 11 Total: 88</p> <p>Sample: 3</p> <p>The Waters of Dillsboro - Ross Manor was found to be in compliance with 42 CFR Part 483, Subpart B and 410 IAC 16.2 - 3.1 in regard to the PSR to the Investigation of Complaint IN00187979.</p> <p>QR completed 34849 on January 28, 2016.</p>			{F 000}			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 02/01/2016
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 155280	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED R-C 01/26/2016
NAME OF PROVIDER OR SUPPLIER WATERS OF DILLSBORO-ROSS MANOR, THE			STREET ADDRESS, CITY, STATE, ZIP CODE 12803 LENOVER ST DILLSBORO, IN 47018		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE